

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE
(Case No. 00-1123-A)

In application of:)	
Cunningham)	
)	Examiner: Snay
U.S. Patent No. 7,118,710)	
)	Group Art Unit: 1743
Filed: August 15, 2001)	
)	Conf. No. 1655
For: Label-Free High-Throughput Optical)	
Technique for Detecting Biomolecular)	
Interactions)	

REQUEST FOR CERTIFICATE OF CORRECTION OF OFFICE MISTAKE
UNDER 37 CFR § 1.322

Commissioner for Patents
Office of Patent Publication
Attn: Certificate of Correction Branch
P.O. Box 1450
Alexandria, VA 22313-1450

Dear Sir:

Patentees respectfully request correction of a misspelling of the term "colorimetric" in the above-mentioned patent. This misspelling was not present in the text of the specification as filed, and appears to be an Office error. Form PTO/SB/44, which specifies the location of the misspelling, is attached.

It is believed that no fee is due in connection with this filing; however, if a fee is due the Commissioner is authorized to charge our Deposit Account 13-2490.

Respectfully submitted,

Date: August 22, 2008

/Lisa M.W. Hillman/
Lisa M.W. Hillman, Ph.D
Registration No. 43,673